



Vivienda Oasis, Madrid (Spain) | Design: Bscod_raum | Photography: Javier Bravo - Fotografia



EXTENDED FAMILY

PUCK_244

PUCK RECESSED



		P	CCT	I	Flux	LOR
PUCK S Recessed	A313-00- ① -0- WT NT	5W	2700K	150mA	670Lm	80%
	A313-00- ① -1- WT NT	5W	3000K	150mA	700Lm	80%
	A313-00- ① -2- WT NT	5W	4000K	150mA	710Lm	80%

220-240 V~ | IP20 | CRI>90 | L80B10 >60.000h | MacAdam Step 2 | OPTIONS* | CONNEC | INCL | Ø59 | UGR <19 | 42°



		P	CCT	I	Flux	LOR
PUCK M Recessed	A313-10- ① -0- WT NT	9W	2700K	500mA	1040Lm	80%
	A313-10- ① -1- WT NT	9W	3000K	500mA	1080Lm	80%
	A313-10- ① -2- WT NT	9W	4000K	500mA	1100Lm	80%

220-240 V~ | IP20 | CRI>90 | L80B10 >60.000h | MacAdam Step 2 | OPTIONS* | CONNEC | INCL | Ø73 | UGR <19 | 45°




		P	CCT	I	Flux	LOR
PUCK L Recessed	A313-20- ① -0- WT NT	12W	2700K	350mA	1550Lm	82%
	A313-20- ① -1- WT NT	12W	3000K	350mA	1610Lm	82%
	A313-20- ① -2- WT NT	12W	4000K	350mA	1640Lm	82%

220-240 V~ | IP20 | CRI>90 | L80B10 >60.000h | MacAdam Step 2 | OPTIONS* | CONNEC | INCL | Ø86 | UGR <19 | 47°


① *OPTIONS

1	No DIM
2	DIM DALI Push


PUCK S RECESSED



PUCK M RECESSED



PUCK L RECESSED



COLOUR | WT RAL 9016 | NT RAL 9005 |

MATERIAL | AL | OPTICAL GLASS |

» 368

* OTHER DIM OPTIONS & IP54 PLEASE CONSULT

& » PLEASE CONSULT



Comparison between a Recessed and a Surface installation. See page 244.

