



MORE INFO >>

					P	CCT	Beam	I	Flux	LOR
SIX L 1	A286-11-10-	WT	NT		11,5W	2700K	17°	350mA	1600 lm	93%
	A286-11-11-	WT	NT		11,5W	3000K	17°	350mA	1650 lm	93%
	A286-11-12-	WT	NT		11,5W	4000K	17°	350mA	1700 lm	93%
	A286-11-30-	WT	NT		11,5W	2700K	26°	350mA	1600 lm	93%
	A286-11-31-	WT	NT		11,5W	3000K	26°	350mA	1650 lm	93%
	A286-11-32-	WT	NT		11,5W	4000K	26°	350mA	1700 lm	93%
	A286-11-20-	WT	NT		11,5W	2700K	34°	350mA	1600 lm	90%
	A286-11-21-	WT	NT		11,5W	3000K	34°	350mA	1650 lm	90%
A286-11-22-	WT	NT		11,5W	4000K	34°	350mA	1700 lm	90%	
SIX L 2	A286-2- Ⓞ -10-	WT	NT		24,5W	2700K	17°	700mA	2850 lm	93%
	A286-2- Ⓞ -11-	WT	NT		24,5W	3000K	17°	700mA	2950 lm	93%
	A286-2- Ⓞ -12-	WT	NT		24,5W	4000K	17°	700mA	3000 lm	93%
	A286-2- Ⓞ -30-	WT	NT		24,5W	2700K	26°	700mA	2850 lm	93%
	A286-2- Ⓞ -31-	WT	NT		24,5W	3000K	26°	700mA	2950 lm	93%
	A286-2- Ⓞ -32-	WT	NT		24,5W	4000K	26°	700mA	3000 lm	93%
	A286-2- Ⓞ -20-	WT	NT		24,5W	2700K	34°	700mA	2850 lm	90%
	A286-2- Ⓞ -21-	WT	NT		24,5W	3000K	34°	700mA	2950 lm	90%
A286-2- Ⓞ -22-	WT	NT		24,5W	4000K	34°	700mA	3000 lm	90%	

220 V~ | IP20 | CRI>90 | L90B10 >55.000h




Ⓞ \*OPTIONS

1	No DIM
4	DIM DALI

OPTIONAL

SIX L High Chromatic LED ⓘ >> 281  
 NOT SOLD SEPARATELY  
 AFFECTS THE LIGHTING PARAMETERS



COLOUR | WT □ | NT ■ | MATERIAL | AL | PC |

TRACK 3L ⓘ >> 222

Ⓞ >> 288