


# WATCHER - 5W



## TECHNICAL DETAILS

Model No : WN-SP-DE-43120

Power:5W

Ra: >80Ra

Beam Angel: 5°, 10°, 13°, 15°, 20°, 24°, 30°, 38°, 55°, 85°

LED Chip: CREE

Input Voltage : DC24V/AC220V

CCT: 2700K /3000K/4000K/5700K/RGB/RGBW


Control way: ON/OFF;DMX512

Material: 6063 Aluminum

Working temp: -25°~+45°


IP Rating: IP66

Life Time: 50000h



## Optional :

Color Temperature :



Beam angle AC:13°/24°/38°/55°

DC: 5°/10°/15°/25°/30°/40°/60°

Controls :



ON/OFF DALI 0-10V PWM  D<sub>w</sub>

DMX/RDM Remote  Bluetooth

Body colors can be customized according to requirements




# WATCHER - 9W




### TECHNICAL DETAILS

Model No: WN-SP-DE-53156  
 Power:9W  
 Ra: >80Ra  
 Beam Angel: 5°, 10°, 13°, 15°, 20°, 24°, 30°, 38°, 55°, 85°  
 LED Chip: CREE  
 Input Voltage : DC24V/AC220V  
 CCT: 2700K /3000K/4000K/5700K/RGB/RGBW  
 Control way: ON/OFF;DMX512  
 Material: 6063 Aluminum  
 Working temp: -25°~+45°  
 IP Rating: IP66  
 Life Time: 50000h



### Optional :

Color Temperature :



Beam angle AC:13°/24°/38°/55°

DC: 5°/10°/15°/25°/30°/40°/60°


### Controls :

ON/OFF DALI 0-10V PWM  Dim  
 DMX/RDM Remote  Bluetooth

Body colors can be customized according to requirements




# WATCHER - 15W




## TECHNICAL DETAILS

Model No: WN-SP-DE-59188  
 Power: 15W  
 Ra: >80Ra  
 Beam Angel: 5°, 10°, 13°, 15°, 20°, 24°, 30°, 38°, 55°, 85°  
 LED Chip: CREE  
 Input Voltage : DC24V/AC220V  
 CCT: 2700K /3000K/4000K/5700K/RGB/RGBW  
 Control way: ON/OFF;DMX512  
 Material: 6063 Aluminum  
 Working temp: -25°~+45°  
 IP Rating: IP66  
 Life Time: 50000h



## Optional :

### Color Temperature :



Beam angle AC: 13°/24°/38°/55°

DC: 5°/10°/15°/25°/30°/40°/60°

### Controls :

ON/OFF DALI 0-10V PWM  Dim  
 DMX/RDM Remote  Bluetooth

Body colors can be customized according to requirements

