










# AK47 LED WALLWASHER LIGHT

With Symmetric Louver



# With Asymmetric Anti-glare Visor





# AK47 DC



**MODEL**  
WN-LNWW-12(AK47)

**POWER**  
12W


**LED CHIP**  
CREE / OSRAM

**INPUT VOLTAGE**  
DC 24V


**LIGHT EFFICIENCY**  
90lm/W @3000K  
35lm/W @RGBW

**IK**  
08

**IP RATING**  
66



(WITH VISOR)



**MODEL**  
WN-LNWW-24/36(AK47)

**POWER**  
24/36W


**LED CHIP**  
CREE / OSRAM

**INPUT VOLTAGE**  
DC 24V


**LIGHT EFFICIENCY**  
90lm/W @3000K  
35lm/W @RGBW

**IK**  
08

**IP RATING**  
66



(WITH VISOR)



**MODEL**  
WN-LNWW-18(AK47)

**POWER**  
18W


**LED CHIP**  
CREE / OSRAM

**INPUT VOLTAGE**  
DC 24V


**LIGHT EFFICIENCY**  
90lm/W @3000K  
35lm/W @RGBW

**IK**  
08

**IP RATING**  
66



(WITH VISOR)



**MODEL**  
WN-LNWW-24(AK47)

**POWER**  
24W


**LED CHIP**  
CREE / OSRAM

**INPUT VOLTAGE**  
DC 24V


**LIGHT EFFICIENCY**  
90lm/W @3000K  
35lm/W @RGBW

**IK**  
08

**IP RATING**  
66




(WITH VISOR)



## Optional :

Color Temperature :



Beam Angle:

6° / 10° / 15° / 25° / 30° / 45° / 60° / 75° / 10x40° / 15x30° / 15x40° / 15x60°

Body colors can be customized according to requirements



Lens:





# AK47 AC



**MODEL**  
WN-LNWW-12(AK47)

**POWER**  
12W


**LED CHIP**  
CREE / OSRAM

**INPUT VOLTAGE**  
AC 100-277V

**LIGHT EFFICIENCY**  
90lm/W @3000K  
35lm/W @RGBW

**IK**  
08

**IP RATING**  
66



**MODEL**  
WN-LNWW-24/36(AK47)

**POWER**  
36W


**LED CHIP**  
CREE / OSRAM

**INPUT VOLTAGE**  
AC 100-277V

**LIGHT EFFICIENCY**  
90lm/W @3000K  
35lm/W @RGBW

**IK**  
08

**IP RATING**  
66



**MODEL**  
WN-LNWW-18(AK47)

**POWER**  
18W


**LED CHIP**  
CREE / OSRAM

**INPUT VOLTAGE**  
AC 100-277V

**LIGHT EFFICIENCY**  
90lm/W @3000K  
35lm/W @RGBW

**IK**  
08

**IP RATING**  
66



**MODEL**  
WN-LNWW-24(AK47)

**POWER**  
24W


**LED CHIP**  
CREE / OSRAM

**INPUT VOLTAGE**  
AC 100-277V

**LIGHT EFFICIENCY**  
90lm/W @3000K  
35lm/W @RGBW

**IK**  
08

**IP RATING**  
66



## Optional :

Color Temperature :



Beam Angle:

6° / 10° / 15° / 25° / 30° / 45° / 60° / 75° / 10x40° / 15x30° / 15x40° / 15x60°

Body colors can be customized according to requirements



Lens:

