





FLAT ESSENTIAL

48V

Flat 48V track features a **slim 6mm height**, offering a **low-profile surface-mounted** solution ideal for clean and modern interiors. Despite its minimal design, it supports a variety of **high-performance lighting modules**, including **spotlights** and **suspended luminaires**, providing both functional versatility and aesthetic appeal. Perfect for residential and commercial spaces where **discreet, surface-level lighting** is desired.

Flat

SURFACE MOUNTED ACCESSORIES USAGE




TRACKS & ACCESSORIES

	CODE	DESCRIPTION	DIMENSIONS (cm)
LINEAR TRACKS	9580823	1m Track (48Vdc)	100 0.6 2.6
	9580824	2m Track (48Vdc)	200 0.6 2.6
CONNECTORS	9580825	Linear Mechanical / Electrical connector	2.6 0.6 4.6
	9580826	Horizontal 90° Mechanical / Electrical Connector	3.6 0.6 4.6
	9580829	Vertical 90° Mechanical / Electrical Connector	3.6 0.6 4.6
	9580827	T Corner Mechanical / Electrical Connector	4.6 0.6 3.6
	9580828	+ Corner Mechanical / Electrical Connector	4.6 0.6 4.6
	9580830	Electrical connector for all Connections	2.5 6.1 6.1
DRIVERS	9580831	Driver with Box 100W 48Vdc IP20	2.6 2.4 30.6
	9580832	Driver with Box 200W 48Vdc IP20	2.6 2.4 35.6
	9580833	Driver Cable Cover PC	30.3 10.6 2.6




CHEAT SHEET FOR CONNECTORS

SURFACE



Lighting Modules



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9580812	12W	3000K	710Lm	L 23 W 2.6 H 2.4	48Vdc	On/Off
9580813	18W	3000K	1200Lm	L 33.8 W 2.6 H 2.4	48Vdc	On/Off




CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9580814	10W	3000K	530Lm	L 31.5 W 2.6 H 2.4	48Vdc	On/Off
9580815	20W	3000K	920Lm	L 61.5 W 2.6 H 2.4	48Vdc	On/Off


CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9580816	6W	3000K	400Lm	L 11.3 W 2.6 H 8	48Vdc	On/Off



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9580817	10W	3000K	540Lm	D 4.5 H 10	48Vdc	On/Off



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9580818	6W	3000K	300Lm	D 7.6 H 7.5	48Vdc	On/Off



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9580818	6W	3000K	300Lm	D 7.6 H 7.5	48Vdc	On/Off



Lighting
Modules



									
CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE			
9580819	● 6W	3000K	260Lm	D 15 H 1.1	48Vdc	On/Off			
									
									
CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE			
9580820	● 7W	3000K	430Lm	D 3 H 150	48Vdc	On/Off			
									
									
									
									
CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE			
9580821	● 3W	3000K	160Lm	D 8 H 150	48Vdc	On/Off			
									
									
									
CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE			
9580822	● 6W	3000K	330Lm	D 8 H 150	48Vdc	On/Off			
									
									
									