

4 Wires Track Rails

TRACKS & ACCESSORIES

	CODE	DESCRIPTION
	9193431 ●	4 wires track rail 2 m
	9193421 ○	
CONNECTORS	9193434 ●	Power Feed 220-250V 16A
	9193424 ○	
	9193432 ●	Internal Linear Connector
	9193422 ○	
POWER FEED OPTIONS	9193435 ●	Middle Power Supply Connector 16A
	9193425 ○	
	9193437 ●	L Power Supply Connector 16A
	9193427 ○	
	9193436 ●	T Power Supply Connector 16A
	9193426 ○	
	9193433 ●	End Cap
	9193423 ○	
SUSPENSION ACCESSORIES	9193457 ●	Suspension Mount (18cm)
	9193447 ○	
	9193439 ●	Suspension Kit 2m Wire
	9193429 ○	
	9193458 ●	Suspension Kit 2m Wire
	9193448 ○	

Lavish PRO

- CRI 97
- Dip switch adaptor



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9123141 ●	20W	3000K	1400Lm	D 6 H 12	220-240Vac	On/Off Included
9123142 ○	20W	3000K	1400Lm	D 6 H 12	220-240Vac	



Kors PRO

- Adj. Beam Angle 15°-36°




CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9913071 ○	20W	3000K	1055Lm	D 6 H 17	220-240Vac	On/Off Included
9913072 ●	20W	3000K	1055Lm	D 6 H 17	220-240Vac	
9913073 ○	38W	3000K	3374Lm	D 8.5 H 18	220-240Vac	
9913074 ●	38W	3000K	3374Lm	D 8.5 H 18	220-240Vac	



Monvel PRO


- Adj. Beam Angle 15°-36°




CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9118151 ○	15W	3000K	943Lm	D 6 H 15	220-240Vac	On/Off Included
9118152 ●	15W	3000K	943Lm	D 6 H 15	220-240Vac	
9062301 ○	30W	3000K	2298Lm	D 6 H 20	220-240Vac	
9062302 ●	30W	3000K	2298Lm	D 6 H 20	220-240Vac	



Eurika
ESSENTIAL



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9011941 	10W	3000K	515Lm	D 4 H 13	220-240Vac	On/Off Included
9011942 	10W	3000K	515Lm	D 4 H 13	220-240Vac	
9011951 	20W	3000K	1522Lm	D 6 H 12	220-240Vac	
9011952 	20W	3000K	1522Lm	D 6 H 12	220-240Vac	



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9070156 ●	10W	3000K	647Lm	D 5.5 H 23.5	220~240Vac	On/Off Included
9580629 ●	10W	4000K	710Lm	D 5.5 H 23.5	220~240Vac	
9070159 ○	10W	3000K	647Lm	D 5.5 H 23.5	220~240Vac	
9580632 ○	10W	4000K	710Lm	D 5.5 H 23.5	220~240Vac	
9070157 ●	20W	3000K	1371Lm	D 6.5 H 25.6	220~240Vac	
9580630 ●	20W	4000K	1428Lm	D 6.5 H 25.6	220~240Vac	
9070160 ○	20W	3000K	1371Lm	D 6.5 H 25.6	220~240Vac	
9580633 ○	20W	4000K	1428Lm	D 6.5 H 25.6	220~240Vac	
9070158 ●	30W	3000K	2255Lm	D 8.5 H 22	220~240Vac	
9580631 ●	30W	4000K	2348Lm	D 8.5 H 22	220~240Vac	
9070161 ○	30W	3000K	2255Lm	D 8.5 H 22	220~240Vac	
9580634 ○	30W	4000K	2348Lm	D 8.5 H 22	220~240Vac	



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
7770407 	12W	3000K	886Lm	D 6.1 H 15.5	220-240Vac	On/Off Included
8770411 	12W	4000K	886Lm	D 6.1 H 15.5	220-240Vac	
7770408 	12W	3000K	886Lm	D 6.1 H 15.5	220-240Vac	
8770412 	12W	4000K	886Lm	D 6.1 H 15.5	220-240Vac	



Wang
PRO



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9123132 ○	12W	3000K	778Lm	D 4 H 19	220-240Vac	On/Off Included
9123131 ●	12W	3000K	778Lm	D 4 H 19	220-240Vac	



Kamala
ESSENTIAL



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9070136 ○	15W	3000K	1044Lm	L 27.5 W 3.9 H 18.5	220-240Vac	On/Off Included
9070135 ●	15W	3000K	1044Lm	L 27.5 W 3.9 H 18.5	220-240Vac	



Roler
PRO


- Dip Switch



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9011861 ○	20W	3000K	1826Lm	D 9.5 W 4.2	220-240Vac	On/Off Included
9011862 ●	20W	3000K	1826Lm	D 9.5 W 4.2	220-240Vac	



CODE	WATT	CCT	FLUX	DIMENSIONS (cm)	VOLTAGE	DIMMABLE
9011871 ○	20W	3000K	1474Lm	L 9.5 W 4.2 H 9.5	220-240Vac	On/Off Included
9011872 ●	20W	3000K	1474Lm	L 9.5 W 4.2 H 9.5	220-240Vac	





Paris

CODE
9011851 ○ 9011852 ● D 5.6 H 10

WATT
Max 10W

VOLTAGE
220-240Vac




Thomas

CODE
9030430 ● DIMENSIONS (cm)
D 11.9 W 3.2 H 17

WATT
35W

VOLTAGE
220-240Vac



Pongo

CODE
9113231 ○ 9460985 ● D 5.4 H 13

WATT
Max 10W

VOLTAGE
220-240Vac



CODE
9460980 ● DIMENSIONS (cm)
D 5.6 H 9.5

WATT
35W

VOLTAGE
220-240Vac



CODE
9010219 ● DIMENSIONS (cm)
D 5.4 H 64.3

WATT
35W

VOLTAGE
220-240Vac

